

2 " with cyclized 78-193 u
no 88-89

- 2mg peptide were dissolved in 250 μ L DAW

- 10000 3011

- mixed 1 h with homogenizer

Note: Both peptides were difficult to dissolve.
" " were not HPLC purified.

Injection of 2 rabbits: linear TGR- β peptide

" " Cyclic " "

" " PG peptide

Procedure

except Freund's incomplete adjuvant was used

For Wayne: KLN-peptide was already coupled
I only mixed to F.i. adjuv; mix 1h 4°C
inject 0.5ml / rabbit.

Rabbits n° 1284 for PG₂ AUF 1385
1285

ANIMAL PROCEDURE REQUEST

(For procedures to be performed by Animal Facility personnel)
Return this form to the Animal Facility Office.

LJCRF

TODAY'S DATE: 12/7/88

Principal Investigator E. RUSLAHTI

LUCIA R. LANGVINO

Investigator/Technician

Phone

230

Lab No.

Lab No.

This procedure relates to the project outlined on Animal Usage Form No.

Date or Dates on which this procedure is required (please allow 7 days for scheduling):

1 12/13/88 50 ml (If more than 8 procedures are required, attach a second form)

2 12/16/88 " " (If more than 8 procedures are required, attach a second form)

3 12/21/88 Est. 100 ml (second form)

4

Describe the procedure(s) required:

Vol. of blood to be collected each procedure: ml.

Injection

6 rabbits

2

PCR

2

TecFp

Linear Ampli
cycle

2